

Pursuant to the Consumer Product Safety Improvement Act (CPSIA) Sec. 102 the manufacturer certifies compliance with the Consumer Product Safety Commission (CPSC) regulations listed below.

\*\*\*\* Product Information \*\*\*\*

**BK 71 - STAIRWAY**  
**WHITE - PO W6448**

Date of Manufacture: **June 2016**

**Made in Brazil**

Manufactured by:	Custodian of Test Records:
Bedz King LLC	Manager of Compliance and Testing
816 111th Street	Bedz King LLC
Arlington, TX 76011	816 111th Street
	Arlington, TX 76011

Children's Product Certificates available at [www.bedzking.net](http://www.bedzking.net)

\*\*\*\* Safety Testing Information \*\*\*\*

Testing performed at one or more of the following independent testing locations:

Diversified Testing Laboratories Inc  
336 West Front Street  
P.O. Box 4004  
Burlington, NC 27215

Armstrong Forensic Laboratory  
330 Loch'n Green Trail  
Arlington, TX 76012

Date	Testing Location	Regulation
February 2016	Armstrong	15 U.S.C. § 1278a
June 2016	Armstrong	16 CFR 1303
September 2015	Diversified	ASTM F 1427-13
September 2015	Diversified	16 CFR 1213 and 16 CFR 1513