




TWIN OVER FULL END LADDER BUNK BED

Bedz King BK961EL-Full-Trundle



Thank you for purchasing your Furniture from Bedz King.

Every effort has been made to ensure your Furniture is of the finest quality. If you have any questions, please do not hesitate to contact us at info@bedzking.com

**READ THESE INSTRUCTIONS CAREFULLY BEFORE
ATTEMPTING TO ASSEMBLE THIS BED**

SAFETY WARNINGS AND GENERAL NOTES

- ✓ Follow the information on the warning labels on the upper bunk bed structure and on the carton. Do not remove warning label from the bed.
- ✓ Always use the recommended size mattress or mattress support, or both, to help prevent the likelihood of entrapment or falls.
- ✓ The top surfaces of the mattress must be at least 5" below the upper edge of the guardrails.
- ✓ **Do not** allow children under 6 years of age to use the upper bunk.
- ✓ **Prohibit** more than one person on the upper bunk.
- ✓ Periodically check and ensure that the guardrails, ladder and other components are in their proper position, free from damage, and that all connectors are tight.
- ✓ **Do not** allow horseplay on or under the bed. Always prohibit jumping on the bed.
- ✓ Always use the ladder for entering and leaving the upper bunk.
- ✓ **Do not** use substitute parts. Contact the manufacturer or dealer for replacement parts.
- ✓ Use of a night-light may provide added safety for a child using the upper bunk.
- ✓ If the bunk bed will be placed next to the wall, the guardrail that runs the full length of the bed should be placed against the wall to prevent entrapment between the bed and the wall.
- ✓ Always use guardrails on both long sides of the upper bunk.
- ✓ The use of a water or sleep floatation mattress is prohibited.
- ✓ Keep these instructions for future reference.
- ✓ We recommend assembling your bunk bed on the shipping carton to protect your floor or carpet. Be certain all staples are out of the box before beginning assembly on the shipping carton.
- ✓ **Strangulation Hazard** Never attach or hang items to any part of the bunk bed that are not designed for use with the bed for example, but not limited to hooks, belts, and jump ropes.

Pursuant to the Consumer Product Safety Improvement Act (CPSIA) Sec. 102 the manufacturer certifies compliance with the Consumer Product Safety Commission (CPSC) regulations listed below.

**** Product Information ****
BK 961 (Stairway) / BK 961EL (End Ladder)
BUNK BED - CAPPUCCINO - PO S 8255
 Date of Manufacture: **September 2014**
Made in Brazil

Manufactured by:
 Beds King LLC
 816 111th Street
 Arlington, TX 76011

Customer or Test Records:
 Manager of Compliance and Testing
 Beds King LLC
 816 111th Street
 Arlington, TX 76011

Children's Product Certificates available at www.bedsking.com/certificates

**** Safety Testing Information ****
 Testing performed at one or more of the following independent testing locations:
 Diversified Testing Laboratories Inc.
 335 West Front Street
 P.O. Box 4004
 Burlington, NC 27215

Date:
 January, April 2014
 September 2014
 March 2014

Testing Location:
 Armstrong
 Armstrong
 Diversified



Regulation:
 15 U.S.C. § 1279a
 16 CFR 1303
 ASTM F 1427-13
 16 CFR 1213 and 16 CFR 1513

WARNING











To help prevent serious or fatal injuries from entrapment or falls:

- Never allow a child under 6 years on upper bunk.
- Use only mattress which is 74" - 75" long and 37 1/2" - 38 1/2" wide on upper bunk.
- Use only mattress which is 74" - 75" long and 52 1/2" - 53 1/2" wide on lower bunk.
- Ensure thickness of mattress and foundation combined does not exceed 9" and mattress is at least 5" below upper edge of guardrails.
- Use guardrails on both sides of upper bunk.
- Prohibit horizontal on or under bed (s).
- Prohibit more than one person on upper bunk.
- Use ladder for entering and leaving upper bunk.
- STRANGULATION HAZARD - Never attach or hang items to any part of the bunk bed that are not designed for use with the bed, for example, but not limited to, toys, balls and jump ropes.

DO NOT REMOVE THIS LABEL



SCREWS ARE SHOWN IN ACTUAL SIZE


		Qty.	Extra
A5	 3,5x16	24	
A10	 3,5x30	86	
B5	 1/4"	24	+2
B7	 1/4"x110	24	+2
B16	 7,0x110	16	+2
C5	 15x90	4	
C6	 10x50	55	+2
D13		4	
G4	 space block	2	
G8		1	

WARNING - CHOKING HAZARD


To be Assembled by Adults only!

Small parts can be a choking hazard for children


01




02




03




04



05



06



07

Diagram illustrating the assembly of the bottom rail and roller assembly. The diagram shows the following components and steps:

- Component 11:** Bottom rail assembly, labeled **G8+B7** and **G8+B16**.
- Component 10:** Roller assembly, labeled **B7+G8** and **B16+G8**.
- Component 33:** Roller assembly, labeled **B5**.
- Component 34:** Roller assembly, labeled **G8+B16**.
- Component 05:** Roller assembly, labeled **G8+B7** and **B5**.
- Component 26:** Roller assembly, labeled **B5**.
- Component 04:** Roller assembly, labeled **B16+G8** and **B7+G8**.

The diagram shows the roller assembly (10) being attached to the bottom rail (11) using screws (B7+G8 and B16+G8). The roller assembly (33) is shown being attached to the bottom rail (11) using a screw (B5). The roller assembly (34) is shown being attached to the bottom rail (11) using a screw (G8+B16). The roller assembly (05) is shown being attached to the bottom rail (11) using a screw (G8+B7) and a screw (B5). The roller assembly (26) is shown being attached to the bottom rail (11) using a screw (B5). The roller assembly (04) is shown being attached to the bottom rail (11) using a screw (B16+G8) and a screw (B7+G8).

Legend:

- B5 - 04x**: Roller assembly (10)
- B7 - 04x**: Roller assembly (33)
- B16 - 04x**: Roller assembly (34)
- G8 - 01x**: Roller assembly (05)

Assembly Instructions:

- Insert the roller assembly (10) into the bottom rail (11) and secure it with screws (B7+G8 and B16+G8).
- Insert the roller assembly (33) into the bottom rail (11) and secure it with a screw (B5).
- Insert the roller assembly (34) into the bottom rail (11) and secure it with a screw (G8+B16).
- Insert the roller assembly (05) into the bottom rail (11) and secure it with a screw (G8+B7) and a screw (B5).
- Insert the roller assembly (26) into the bottom rail (11) and secure it with a screw (B5).
- Insert the roller assembly (04) into the bottom rail (11) and secure it with a screw (B16+G8) and a screw (B7+G8).

08

08

B5

B5

15

15

15

15

12

12

26

B5

B5

B5

B5

G8+B16

G8+B16

G8+B7

G8+B7

G8+B16

G8+B16

G8+B7

G8+B7

G8

B7

B7

G8

B16+G8

B16+G8

B7+G8

B7+G8





B5 - 08x

B7 - 08x



B16 - 08x




G8 - 01x

09










10












13

Option: LEFT



14

Option: RIGHT



BEDDING SPECIFICATION

- Always use the recommended size mattress or mattress support or both, to help prevent the likelihood of entrapment or falls.
- All Bedz King bunk beds are supplied with a complete slat kit, so there is no need for a foundation or bunkie board.

BED MATTRESS SPECIFICATIONS

Upper Bunk: Only use a mattress that is 74" - 75" long and 37 1/2" - 38 1/2" wide on the upper bunk.

- Ensure thickness of mattress and foundation combined does not exceed 9".

Lower Bunk: Only use a mattress that is 74" - 75" long and 52 1/2" - 53 1/2" wide on the lower bunk.

REPLACEMENT PARTS

- Replacement parts, including additional guardrails may be obtained by contacting Bedz King LLC at info@bedzking.com
- Guard rails are not available for the lower bunk. This bunk bed is not designed or certified to have guard rails installed on the lower bunk.


ASSEMBLY TIPS

- Power tools are not recommended for assembling your furniture.
- Give yourself plenty of room to work.
- Due to the size of this bunkbed, it must be assembled within the space it will occupy.
- The assembly will require at least two people to complete.
- Make sure all the fasteners are tight.
- Take your time and read the instructions carefully.



Bunk Bed End Ladder

Bedz King BK81





Thank you for purchasing your Furniture from Bedz King.

Every effort has been made to ensure your Furniture is of the finest quality. If you have any questions, please do not hesitate to contact us at info@bedzking.com








**READ THESE INSTRUCTIONS CAREFULLY BEFORE
ATTEMPTING TO ASSEMBLE THIS BED**

SAFETY WARNINGS AND GENERAL NOTES




- ✓ Follow the information on the warning labels on the upper bunk bed structure and on the carton. Do not remove warning label from the bed.
- ✓ Always use the recommended size mattress or mattress support, or both, to help prevent the likelihood of entrapment or falls.
- ✓ The top surfaces of the mattress must be at least 5" below the upper edge of the guardrails.
- ✓ **Do not** allow children under 6 years of age to use the upper bunk.
- ✓ **Prohibit** more than one person on the upper bunk.
- ✓ Periodically check and ensure that the guardrails, ladder and other components are in their proper position, free from damage, and that all connectors are tight.
- ✓ **Do not** allow horseplay on or under the bed. Always prohibit jumping on the bed.
- ✓ Always use the ladder for entering and leaving the upper bunk.
- ✓ **Do not** use substitute parts. Contact the manufacturer or dealer for replacement parts.
- ✓ Use of a night-light may provide added safety for a child using the upper bunk.
- ✓ If the bunk bed will be placed next to the wall, the guardrail that runs the full length of the bed should be placed against the wall to prevent entrapment between the bed and the wall.
- ✓ Always use guardrails on both long sides of the upper bunk.
- ✓ The use of a water or sleep floatation mattress is prohibited.
- ✓ Keep these instructions for future reference.
- ✓ We recommend assembling your bunk bed on the shipping carton to protect your floor or carpet. Be certain all staples are out of the box before beginning assembly on the shipping carton.
- ✓ **Strangulation Hazard** Never attach or hang items to any part of the bunk bed that are not designed for use with the bed for example, but not limited to hooks, belts, and jump ropes.







SCREWS ARE SHOWN IN ACTUAL SIZE




		Qty.	Extra
A10	 3,5x30	8	
A22	 4,0x16	4	
B8	 7,0x50	8	+1
C3	 10x40	8	+1
D14		4	
G8		1	
G9		4	

01



02





A10 - 08x





D14 - 04x



G9 - 04x

04



BEDDING SPECIFICATION

- Always use the recommended size mattress or mattress support or both, to help prevent the likelihood of entrapment or falls.
- All Bedz King bunk beds are supplied with a complete slat kit, so there is no need for a foundation or bunkie board.

BED MATTRESS SPECIFICATIONS

TWIN OVER TWIN

Upper Bunk: Only use a mattress that is 74" - 75" long and 37 1/2" - 38 1/2" wide on the upper bunk.

- Ensure thickness of mattress and foundation combined does not exceed 9".

Lower Bunk: Only use a mattress that is 74" - 75" long and 37 1/2" - 38 1/2" wide on the lower bunk.

TWIN OVER FULL

Upper Bunk: Only use a mattress that is 74" - 75" long and 37 1/2" - 38 1/2" wide on the upper bunk.

- Ensure thickness of mattress and foundation combined does not exceed 9".

Lower Bunk: Only use a mattress that is 74" - 75" long and 52 1/2" - 53 1/2" wide on the lower bunk.

FULL OVER FULL

Upper Bunk: Only use a mattress that is 74" - 75" long and 52 1/2" - 53 1/2" wide on the upper bunk.

- Ensure thickness of mattress and foundation combined does not exceed 9".

Lower Bunk: Only use a mattress that is 74" - 75" long and 52 1/2" - 53 1/2" wide on the lower bunk.

REPLACEMENT PARTS

- Replacement parts, including additional guardrails may be obtained by contacting Bedz King LLC at info@bedzking.com
- Guard rails are not available for the lower bunk. This bunk bed is not designed or certified to have guard rails installed on the lower bunk.


ASSEMBLY TIPS

- Power tools are not recommended for assembling your furniture.
- Give yourself plenty of room to work.
- Due to the size of this bunkbed, it must be assembled within the space it will occupy.
- The assembly will require at least two people to complete.
- Make sure all the fasteners are tight.
- Take your time and read the instructions carefully.





Full Trundle

Bedz King BK35













Thank you for purchasing your Furniture from Bedz King.



Every effort has been made to ensure your Furniture is of the finest quality. If you have any questions, please do not hesitate to contact us at info@bedzking.com



SCREWS ARE SHOWN IN ACTUAL SIZE

		Qty.	Extra
A5	 3,5x16	20	
A12	 4,0x35	20	
B5	 1/4"	4	+1
B11/B	 7,0x130	2	
B18	 1/4"x70	4	
C3	 10x40	12	+1
E8		4	
E9		2	
G3		1	
G4	 space block	2	

01



02

